REMAINS) CLOSED in other appropriate communits. This application is a MPEP 1308. Seceived 3 February 2005. Caminer. 35 U.S.C. § 119(a)-(d) of the received. En received in Application	or (f).
aminer ssell Frejd on the cover sheet with REMAINS) CLOSED in other appropriate community. This application is sell MPEP 1308. eceived 3 February 2005 aminer. 35 U.S.C. § 119(a)-(d) of the received. en received in Application.	Art Unit 2128 th the correspondence address- this application. If not included unication will be mailed in due course. Subject to withdrawal from issue at the included to recommend the included of the incl
on the cover sheet with REMAINS) CLOSED in other appropriate community. This application is sometimed and the second of the seco	th the correspondence address- in this application. If not included unication will be mailed in due course. Subject to withdrawal from issue at the included or (f).
REMAINS) CLOSED in other appropriate communits. This application is a MPEP 1308. Seceived 3 February 2005. Caminer. 35 U.S.C. § 119(a)-(d) of the received. En received in Application	this application. If not included unication will be mailed in due course. Subject to withdrawal from issue at the included of
aminer. 35 U.S.C. § 119(a)-(d) o en received. en received in Applicatio	or (f). In No
35 U.S.C. § 119(a)-(d) o en received. en received in Applicatio	n No
35 U.S.C. § 119(a)-(d) o en received. en received in Applicatio	n No
en received. en received in Applicatio	n No
	a reply complying with the requiremen
	AMINER'S AMENDMENT or NOTICE (declaration is deficient.
submitted.	
Patent Drawing Review	v (PTO-948) attached
nendment / Comment or	in the Office action of
)) should be written on the	ne drawings in the front (not the back) of R 1.121(d).
of BIOLOGICAL MATE THE DEPOSIT OF BIO	ERIAL must be submitted. Note the DLOGICAL MATERIAL.
	F of this application. Note the attached EXA cason(s) why the oath or submitted. Patent Drawing Review nendment / Comment or c)) should be written on the eader according to 37 CF of BIOLOGICAL MATE

RUSSELL FREJD
PRIMARY EXAMINER

of Biological Material

2.

Notice of Draftperson's Patent Drawing Review (PTO-948)

Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit

3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),

6. Interview Summary (PTO-413),

9. Other _____.

Notice of Allowability

Paper No./Mail Date ____.

7. 🖾 Examiner's Amendment/Comment

8.

Examiner's Statement of Reasons for Allowance



Serial Number: 09/688,766

In re Application of: Morikawa et al.

Allowance of Application # 09/688,766

Page 1

1. The following communication is in response to applicant's amendment received 3-February-2005.

Examiner's Amendment

2. An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the Issue Fee. Authorization for this Examiner's Amendment was given by Duke Taylor (Reg. No. 31,306) on 26-May-2005.

2.1 In the Claims:

claim 1 line 1 Change "An apparatus" to -A computer-implemented apparatus--.

claim 3 line 1 Change "A method" to -A computer-implemented method--.

claim 7 line Delete "stored with a" and Add –with a computer-executable program

which stores--.

2.2 In the Abstract:

On lines 8, 10, 11, 13 and 15

Change "means" to -module--.

Serial Number: 09/688,766 Page 2

In re Application of: Morikawa et al.

Reasons for Allowance

3. The following is an Examiner's Statement of Reasons for the indication of allowable subject matter. The instant application is directed to a non-obvious improvement over the invention described in the related prior art, specifically the article authored by Certain et al., entitled *Automatic Body Measurement for Mass Customization of Garments*, the improvement comprising an apparatus and method for extracting an analytic surface having a predetermined configuration from CAD data, wherein surface generation is determined using the analytic surface and non-contact measuring point data to extract a crossing line of surfaces generated during the determining step as the outline. This patentable distinction is included in each of the independent claims, nos. 1, 3 and 5-7. The art of record, either individually or in combination, fails to teach, suggest, or render obvious the useful, concrete and tangible <extracting of an analytic surface having a predetermined configuration from CAD data> having the corresponding structure which is disclosed in the specification and equivalents thereof at least at page 5, line 18 through page 16, line 7, and Figures 1-14. In view of the foregoing, the claims of the present application are found to be patentable over the prior art.

Response Guidelines

4. Any comments considered necessary by applicant MUST be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should clearly be labeled "Comments on Statement of Reasons for Allowance".

In re Application of: Morikawa et al.

4.1 Any response to the Examiner in regard to this allowance should be

directed to: Russell Frejd, telephone number (571) 272-3779, Monday-Friday

from 0530 to 1400 ET, or the examiner's supervisor, Jean Homere, telephone number (571) 272-3780. Inquires of a general nature or

relating to the status of this application should be directed to the TC2100

Group Receptionist (571) 272-2100.

mailed to: Commissioner of Patents and Trademarks

P.O. Box 1450, Alexandria, VA 22313-1450

or faxed to: (703) 872-9306

Hand-delivered responses should be brought to the Customer Service Window, Randolph Building, 401 Dulany Street, Alexandria, VA, 22314.

Date: 31-May-2005

RUSSELL FREJD PRIMARY EXAMINER